

## Trauma Screening and Assessment for Adults: References

- Abidin, R. (1995). *Manual for the Parenting Stress Index*. Psychological Assessment Resources, Inc.
- Agar, K. & Read, J. (2002). What happens when people disclose sexual or physical abuse to staff at a community mental health centre? *International Journal of Mental Health Nursing*, 11, 70-79.
- American Psychiatric Association. *Diagnostic and Statistical Manual of Mental disorders*. (4<sup>th</sup> ed.). Washington, D.C. : American Psychiatric Association, 1994
- Barkham, M., Hardy, G.E., and Startup, M. (1996). The IIP-32- A short version of the Inventory of Interpersonal Problems. *British Journal of Clinical Psychology*, 35, 21-35.
- Bernstein, D.P., Fink, L., Handelsman, L., Foote, J., Lovejoy, M., Wenzel, K., Sapareta, E. & Ruggiero, J. (1994). Initial reliability and validity of a new retrospective measure of child abuse and neglect. *American Journal of Psychiatry*, 151, 1132-1136.
- Blake, D.D., Weather, F.W., Nagy, L.M., Kaloupek, D.G., Charney, D.S., & Keane, T.M. (1995). *Clinician-Administered PTSD Scale for DSM-IV*. Boston and West Haven, CT: National Center for Posttraumatic Stress Disorder.
- Blake, D.D., Weathers, F.W., Nagy, L.N., Kaloupek, D.G., Klauminzer, G., Charney, D.S., & Keane, T.M. (1990). A clinician rating scale for assessing current and lifetime PTSD: The CAPS-1. *The Behavior Therapist*, 18, 187-188
- Blanchard, E.B., Jones-Alexander, J., Buckley, T.C., Forneris, C.A. (1996). Psychometric properties of the PTSD Checklist (PCL). *Behaviour Research and Therapy*, 34, 669-673.
- Briere, J. & Zaidi, L.Y. (1989). Sexual abuse histories and sequelae in female psychiatric emergency room patients. *American Journal of Psychiatry*, 146, 1602-1606.
- Briere, J. & Jordan, C.E. (2004) Violence against women: Outcome complexity and implications for assessment and treatment. *Journal of Interpersonal Violence*, Vol.19 No. 11, 1252-1276
- Briere, J. (1997) Psychological assessment of child abuse effects in adults. In J.P. Wilson and T. M. Keane (Eds). *Assessing Psychological Trauma and PTSD* (pp.43- 68). New York: Guilford Press.
- Briere, J. (2004). *Psychological assessment of adult posttraumatic states: Phenomenology, diagnosis, and measurement* (2<sup>nd</sup> ed.). Washington, DC: American Psychological Association.

Briere, J. (1996), *Psychometric review of the Trauma Symptom Checklist-40*, in B.H. Stamm (Ed.). *Measurement of stress, trauma, and adaptation*. Lutherville, MD: Sidran Press.

Briere, J. & Runtz, M. (1989) Trauma symptom Checklist (TSC-33 and TSC-40) This psychometric review of the TSC 33/40, with references up to mid-1998, is found at <http://www.johnbriere.com/tsc.htm>. Retrieved 9/07/05.

Bryer, J. (1992). *Child abuse trauma: Theory and treatment of the last effects*. Park, CA: Sage Publications.

Cantanzaro, S.J. & Mearns, J. (1990). Measuring generalized expectancies for negative mood regulations: Initial scale development and implementations. *Journal of Personality Assessment*, 54, 546-563

Cresswell, C.M., Kuipers, L., & Power, M.J. (1992). Social networks and support in long-term psychiatric patients. *Psychological Medicine*, 22, 1019-1026

Cuzack, K.J., Frueh, B.C., Brady, K.T. (2004). Trauma history screening in a community mental health center. *Psychiatric Services*, Vol.55, No.2 pp. 157-162.

Cuzack, K.J., Frueh, B.C., Hiers, T., Suffoletta-Maierle, S., Bennett, S. Trauma within the psychiatric setting: A preliminary empirical report. *Administration and Policy in Mental Health*, Vol.30, No. 5. p.453-460

Davidson, J.R.T. (2001) Recognition and treatment of posttraumatic stress disorder. *Journal of the American Medical Association*. 286:584-588.

Dennis, M.L.O., Funk, R., Godley, S.H., Godley, M.D., & Waldron, H. (in press). Cross validation of the alcohol use measures in the Global appraisal of Individual Needs (GAIN) and Timeline followback (TLFB) among adolescents in substance abuse treatment. *Addiction*.

Dobb, D. (1992). Female sexual abuse survivors as patients: Avoiding retraumatization. *Archives in Psychiatric Nursing*, 6, 245-251

Drake, R.E., Mueser, K.T., Clark, R.E., & Wallach, M.A. (1996). The course, treatment, and outcome of substance disorder in persons with severe mental illness. *American Journal of Orthopsychiatry*, 66, 42-51.

Eilenberg, J., Fullilove, M.T., Goldman, R.G., Mellman, L. (1996). Quality and use of trauma histories obtained from psychiatric outpatients through mandated inquiry. *Psychiatric Services* 47, 165-169.

Felitti, V.J. (2002). The relationship of adverse childhood experiences to adult health: Turning gold into lead. English translations of: Felitti V.J. (2002) Belastungen in der Kindheit und Gesundheit im Erwachsenenalter: die Verwandlung von Gold in Blei. *Z psychosom Med Psychother*, 48(4): 350-369

Felitti, V.J. (2003). The origins of addiction: Evidence from the adverse childhood experiences study. English version of the article published in Germany as: Ursprünge des Suchtverhaltens – Evidenzen aus einer Studie zu belastenden Kindheitserfahrungen . *Praxis der Kinderpsychologie und Kinderpsychiatrie*, 2003; 52:547-559.

Foa, E.B., Ehlers, A., Clark, D.M., Tolin, D.F., & Orsillo, S. (1999). The Posttraumatic Cognitions Inventory (PCTI): Development and validation. *Psychological Assessment*, 11, 303-314

Foa, E.B., Riggs, D.S., Dancu, C.V., Rothbaum, B.O., (1993). Reliability and validity of a brief instrument for assessing post-traumatic stress disorder. *Journal of Traumatic Stress*, 6, 459-473

Foa, E. B. (1995). *Posttraumatic Stress Diagnostic Scale Manual*. United States of America: National Computer Systems, Inc.

Foa, E. B., Riggs, D.S., Dancu, C. V., and Rothbaum, B. O. (1993). Reliability and validity of a brief instrument for assessing post-traumatic stress disorder. *Journal of Traumatic Stress*, 6,459-473.

Ford, J.D., Courtois, C.A., Steele, K., van der Hart, O., Nijenhuis, E.R.S. (2005). Treatment of the Complex Sequelae of Psychological Trauma. (in press)

Ford, J. (2005). Evaluating trauma-related needs, service delivery and outcomes. Document developed for the *Center for Women, Violence and Trauma*. For further information, contact: [Women&ViolenceCenterDirector@abtassoc.com](mailto:Women&ViolenceCenterDirector@abtassoc.com).

Ford, J.D., Racusin, R., Daviss, W.B., Reiser, J., Fleischer, A. & Thomas, J. (2000). Child maltreatment, other trauma exposure, and posttraumatic symptomatology among children with oppositional defiant and attention deficit hyperactivity disorders. *Child Maltreatment*, 5, 205-217

Freuh, B.C., Cousins, V.C., Hiers, T.G., Cavanaugh, S.D., Cusack, K.J., & Santos, A.B. (2002). The need for trauma assessment and related clinical services in a state public mental health system. *Community Mental Health Journal*, 38, 351-356.

Freuh, B.C., Cusack, K.J., Hiers, T.G., Monogan, S., Cousins, V.C., Cavanaugh, S.D. (2001). Improving public mental health services for trauma victims in south Carolina. *Psychiatric Services* 52,812-814.

Goodman, L.A., Thompson, K.M., Weinfurt, K., Corl, S., Acker, P., Mueser, K.T., & Rosenberg, S.D. (1999). Reliability of reports of violent victimization and posttraumatic stress disorder among men and women with serious mental illness. *Journal of Traumatic Stress Disorder*, 12, 587-599

Goodman, L.A., Salyers, M.P., Mueser, K.T., Rosenberg, S.D., Swartz, M.S., Essock, S.M., Oscher, F.C., Butterfield, M.I., Swanson, J. (2001). Recent victimization in women and men with severe mental illness: Prevalence and correlates. *Journal of Traumatic Stress, 14*, 615-632

Goodwin, J., Attias, R., McCarty, T., Chandler, S., & Romanik, R. (1988). Reporting by adult psychiatric patients of childhood sexual abuse. *American Journal of Psychiatry, 145*, 1183.

Green, B.L. (1996). *Trauma History Questionnaire*. In: B.H. Stamm (Ed.), *Measurement of Stress, Self-Report Trauma and Adaptation*. Sidran Press, Lutherville, MD pp. 366-368.

Hammersley, P. (2004). Learning to listen: Childhood trauma and adult psychosis. *Mental Health Practice, Vol 7, No. 6* p.18-21

Hanson, T.C., Hesselbrock, M., Tworkowski, S.H., Swan, S. (2002). The prevalence and management of trauma in the public domain: An agency and clinician perspective. *The Journal of Behavioral Health Services and Research, 13*:40, 365-380.

Harris, M. & Fallot, R. (2001) Using Trauma Theory to Design Service Systems. *New Directions for Mental Health Services; #29*. Lamb,R. Ed. Jossey-Bass

Harris, W.W., Putnam, F.W., Fairbank, J.A. (2004). Mobilizing Trauma Resources for Children. Draft submitted for publication. Presented in part at the meeting of the Johnson and Johnson Pediatric Institute: Shaping the future of Children's Health, San Juan, Puerto Rico, February 12-16, 2004

Helzer, J., & Robins, L. (1988). The diagnostic interview schedule. *Social Psychiatry and Psychiatric Epidemiology, 23*, 6-16.

Hiday, V.A., Swartz, M.S., Swanson, J.W., Borum, R., Wagner, H.R. (1999). Criminal victimization of persons with severe mental illness. *Psychiatric Services 50*:62-68.

Hodas, G.R. (2004). Understanding and responding to childhood trauma: Creating trauma informed care. *Pennsylvania Office of Mental Health and Substance Abuse Services*

Jacobson, A., Koehler, J.E., & Jones-Brown, C. (1987). The failure of routine assessment to detect histories of assault experienced by psychiatric patients. *Hospital and Community Psychiatry, 38*, 386-389.

Jordan, C.E. & Walker, R. (1994). Guidelines for handling domestic violence cases in community mental health centers. *Hospital and Community Psychiatry, 45*, 147-151

Joseph, S., Williams, R., & Yule, W. (1992). Crisis support, attributional style, coping style, and post-traumatic symptoms. *Personality and Individual Differences, 13*, 1249-1251.

Kaufman, J., Birmaher, B., Brent, D., Rao, U., Flynn, C., Moreci, P., Williamson, D. & Ryan, N. (1997). Schedule for Affective Disorders and Schizophrenia for School-Age Children – Present and Lifetime Version (K-SADS-PL): Initial reliability and validity data. *Journal of the American Academy of Child & Adolescent Psychiatry*, 36(7), 980-988.

Keane, T.M., Weathers, F.W., and Foa, E.B. (2000). Diagnosis and Assessment. In E.B. Foa, T.M. Keane, and M.J. Friedman (eds.), *Effective Treatments for PTSD*. New York: Guilford Press, 2000.

Kessler, R.C., Sonnega, A., Bromet, E., Hughes, M., & Nelson, C.B. (1995). Posttraumatic stress disorder in the national comorbidity survey. *Archives of General Psychiatry*, 52, 1048-1060

Lipschitz, D., Kaplan, M., Sorkenn, J., Faedda, G., Chorney, P., & Asnis, G. (1996). Prevalence and characteristics of physical and sexual abuse among psychiatric outpatients. *Psychiatric Services*, 47, 189-191.

Lothioan, J., Read, J. (2002). Asking about abuse during mental health assessments: Alients' views. *New Zealand Journal of Psychology*, 31, 98-103

Mayer, J., & Stevens, A. (1994). An emerging understanding of the reflective (meta-) experience of mood. *Journal of Research in Personality*, 28, 351-374

McHugo, G.J., Caspi, Y., Kammerer, N., Mazelis, R., Jackson, E.W., Russell, L., Clark, C., Liebschutz, J., Kimerling, R. (2005). The assessment of trauma history in women with co-occurring substance abuse and mental disorders and a history of interpersonal violence. *Journal of Behavioral Health Services and Research*, 32(2), 113-127.

Meyer, H., Taiminen, T., Vuori, T., Aijala, A., & Helenius, H. (1999). Posttraumatic stress disorder symptoms related to psychosis and acute involuntary hospitalization in schizophrenic and delusional patients. *Journal of Nervous and Mental Disease*, 187, 343-352.

Mueser, K.T., Goodman, L.B., Trumbetta, S.L., Rosenberg, S.D., Osher, F.C., Vidaver, R., Auciello, P., & Foy, D.W. (1998). Trauma and posttraumatic stress disorder in severe mental illness. *Journal of Consulting and Clinical Psychology*, 66, 493-499.

Mueser, K., Salyers, M. Rosenberg, S. Et al. (2001) Psychometric evaluation of trauma and posttraumatic stress disorder assessments in persons with severe mental illness. *Psychological Assessment* 13:1111-1117.

Mueser, K.T., Rosenberg, S.D., Goodman, L.A., Trumbetta, S.L. (2002). Trauma, PTSD, and the course of severe mental illness: an interactive model. *Schizophrenia Research*, 53:123-143.

National Association of State Mental Health Program Directors (NASMHPD) Position Statement on Services and Supports to Trauma Survivors. (1998). Passed unanimously by the NASMHPD membership on 12/07/98.

National Association of State Mental Health Program Directors (NASMHPD) Position Statement on Services and Supports to Trauma Survivors. (2005). Passed unanimously by the NASMHPD membership on 1/03/05.

NASMHPD Position Statement on Seclusion and Restraint . (1999). Approved by NASMHPD Membership July 13, 1999

National Executive Training Institute: NETI. (2005). Creating violence free and coercion free mental health treatment environments; Reducing the use of seclusion and restraint. A Training Curriculum. Alexandria, VA: NASMHPD.

Newman, E. (2002). Assessment of PTSD and trauma exposure in adolescents. *Journal of Aggression, Maltreatment & Trauma*, 6, 59-77.

Nijenhuis, E.R.S., van der Hart, O., & Kruger, K. (2002). The psychometric characteristics of the Traumatic Experiences Checklist (TEC): First findings among psychiatric outpatients. *Clinical Psychology and Psychotherapy*, 9, 200-210.

Pennebaker, JW., Kiecolt-Glaser, J.D., Glaser, R. (1988). Disclosure of traumas and immune function: Health implications for psychotherapy. *Journal of Consulting and Clinical Psychology*, Vol.56, No. 2, 239-245

Read, J., Fraser, A. (1998). Abuse histories of psychiatric inpatients: To ask or not to ask? *Psychiatric Services*. 49, 355-359.

Read, J. et al (2001). Assessing suicidality in adults: Integrating childhood trauma as a major risk factor. *Professional Psychology: Research and Practice*. 32, 367-372.

Reich, W., Shayka, J.J. & Taibleson, C. (1991). Diagnostic Interview for children and Adolescents (DICA). St. Louis, MO: Washington University.

Resnick, H.S., Kilpatrick, D.G., Dansky, B.S. et al. (1993) Prevalence of civilian trauma and post-traumatic stress disorder in a representative national sample of women. *Journal of Consulting and Clinical Psychology*, 61, 984-991.

Rodriguez,N., Ryan,S.W., Rowan,A.B., Foy,D.W. (1996) Posttraumatic stress disorder in a clinical sample of adult survivors of childhood sexual abuse. *Child Abuse Negl.* 20(10): 943-52

Rose, S.M., Peabody, c.G., & Stratigeas, B. (1991). Undetected abuse among intensive case management clients. *Hospital and Community Psychiatry*, 42, 499-503.

Rosenberg, S.D., Mueser, K.T., Jankowski, M.K., & Hamblen, J.L. (2002). Trauma exposure and PTSD in people with severe mental illness. *PTSD Research Quarterly*, 13, 1-7.

Shack, A.V., Averill, P.M., Kopecky, C., Krajewski, K., Gummattira, P. (2004). Prior history of physical and sexual abuse among the psychiatric inpatient population: A comparison of males and females.

Shaffer, D., Fisher, P., Piacentini, J., Schwab-Stone, M. & Wicks, J. (1992). The Diagnostic Interview Schedule for Children (DISC). (Available from authors, Columbia NIMH DISC Training Center, Division of Child and Adolescent Psychiatry-Unit 78, New York State Psychiatric Institute, 722 West 168<sup>th</sup> Street, New York, NY 10032).

Sher, L. (2004). Posttraumatic stress disorder: the importance of recognition. *Australian and New Zealand Journal of Psychiatry*. 38:84-84

Snyder, C. R., Sympson, S. C., Ybasco, F. C., Borders, T. F., Babyak, M. A., & Higgins, R.L. (1996). Development and validation of the State Hope Scale. *Journal of Personality and Social Psychology*, 2, 321-335.

Solomon, Z. (1995). Oscillating between denial and recognition of PTSD. Why are lessons learned and forgotten? *Journal of Traumatic Stress*, 8, 271-282.

Stewart, S.H. (1996). Alcohol abuse in individuals exposed to trauma: A critical review. *Psychological Bulletin*, 120, 83-112.

Steinberg, A., Brymer, M., Decker, K., & Pynoos, R. (2004). The UCLA PTSD Reaction Index. *Current Opinion in Psychiatry*, 6, 96-100.

Straus, M.A., Hamby, S.L., Boney-McCoy, S., & Sugarman, D.B. (1995). The revised conflict tactics scales (CTS2) Durham, NH: Family Research Laboratory.

Substance Abuse Mental Health Services Administration. *Homeless Families Social Support Scale*. ([www.samhsa.gov](http://www.samhsa.gov); SAMHSA Matrix, Homelessness)

Saunders, B.E., Kilpatrick, D.G., & Resnick, J.H.S. (1989). Brief screening for lifetime history of criminal victimization at mental health intake: A preliminary study. *Journal of Interpersonal Violence*, 4, 267-277 *Psychiatric Quarterly*, Vol. 75, No. 4, 343-359

Tucker, W.M. (2002). How to include the trauma history in the diagnosis and treatment of psychiatric inpatients. *Psychiatric Quarterly*, Vol 73 Issue 2, p135-145.

Watson, D., Clark, L.A., & Tellegen, A. (1988). Development and validation of brief measures of Positive and Negative Affect: The PANAS scales. *Journal of Personality and Social Psychology*, 54, 1063-1070.

Weathers, F.W., Litz, B.T., Herman, D.S., Huska, J.A., & Keane, T.M. (1993). *The PTSD Checklist (PCL): Reliability, validity, and diagnostic validity*. Paper presented at the

annual meeting of the International Society for Traumatic Stress Studies, San Antonio, TX.

Weathers, F.W., Keane, T.M. & Davidson, J.R.T. (2001). Clinician Administered PTSD Scale: A review of the first ten years of research. *Depression and Anxiety, 13*, 132-156

Weathers, F.W., Ruscio, A.M., & Keane, T.M. (1999). Psychometric properties of nine scoring rules for the Clinician Administered Posttraumatic Stress Disorder Scale. *Psychological Assessment, 11*, 124-133.

Whitfield, C.L., Dube, S.R., Felitti, v.J., Anda, R.F. (2005). Adverse childhood experiences and hallucinations. *Child Abuse and Neglect, 29* 797-810.

Wilson, J., & Keane, T. (Eds). (2004). *Assessing psychological trauma and PTSD: A practitioner's handbook* (2<sup>nd</sup> ed.). New York: Guilford

Winston, F., Kassam-Adams, N. Garcia-Espana, F. Ittenbach, R., Cnaan, A. (2003). Screening for risk of persistent posttraumatic stress in injured children and their parents. *Journal of the American Medical Association, 290*:643-649.

Wolfe, J., & Kimerling, R. (1997). Gender issues in the assessment of Posttraumatic Stress Disorder. In J. Wilson & T.M. Keane (Eds.), *Assessing psychological trauma and PTSD* (pp.192-238). New York: Guilford

Wolpaw, J. & Ford, J. (2004). Assessing exposure to psychological and post-traumatic stress in the juvenile justice population. Washington, DC: *Juvenile Justice Working Group of the National Child Traumatic Stress Network*, [www.NCTSNet.org](http://www.NCTSNet.org)

Wolpaw, J., Ford, J, Newman, E. & Briere, J. (in press) *Trauma Symptom Checklist for Children*

Wurr, J.C., & Partridge, I.M. (1996). The prevalence of a history of childhood sexual abuse in an acute adult inpatient population. *Child Abuse and Neglect, 20*, 867-872.

Yehuda, R., McFarlane, A.C. (1995). Conflict between current knowledge about posttraumatic stress disorder and its original conceptual basis. *American Journal of Psychiatry* 152: 1705-1713.

Zimmerman, M., Mattia, J.I. (1999) Is posttraumatic stress disorder under-diagnosed in routine clinical settings? *Journal of Nervous and Mental diseases, 187*: 420-428.



